

ROBBINS®

PHOTO: Craft Brown, Oak, EKHG75L06W

HydroGuard™

WATERPROOF HARDWOOD

Real Wood...for Real Life.

100% real hardwood that is 100% waterproof

WATERPROOF

- Innovative 3-part system protects against water damage
 1. Tight locking system
 2. Proprietary coating on plank edges seals out water
 3. Hyper-dense core
- Top down moisture protection for up to 36 hours

DESIGN RANGE

- Wide variety of colors and textures
- Matte, low gloss finish

DURABLE

- Hardwood resists indentation; Janka hardness 2400-2500
- Resists scratches, stains and indentations for a lifetime of beauty

VERSATILE

- Kitchens, bathrooms and basements are no problem
- Install in any room and on any level

FAST / EASY INSTALL

- Flat/Balanced structure
- Robust locking profile
- No acclimation needed
- Attached IXPE pad for easy installation and sound absorption



100% Waterproof



Pet friendly



Resists scratches,
stains and indentations



Install in any
room and level

ROBBINS®

HydroGuard™

WATERPROOF HARDWOOD




Oak - Heavenly
6-1/2" EKHG75L01S




Maple - Natural
6-1/2" EMHG75L03S



Oak - Natural
6-1/2" EKHG75L03H



Oak - Craft Brown
6-1/2" EKHG75L06W



Hickory - Sugar Shack
6-1/2" EHHG75L8BW



Hickory - Forest Beyond
6-1/2" EHHG75L12W



Oak - Shaded Terrace
6-1/2" EKHG75L09H



Hickory - Twilight
6-1/2" EHHG75L17W

HYDROGUARD ENGINEERED

SPECIES	Oak, Hickory, Maple	THICKNESS	1/2" Nom. + Pad	FACE VENEER	1.2 mm / Sliced**	PAD ATTACHED	1.5 mm
TEXTURES	Wire-Brushed, Hand-Scraped, Smooth Open Pore			FINISH	Nano Aluminum Oxide		
WIDTH	6-1/2"	GLOSS	Low	LENGTH	48" max; 4 fixed lengths, 16" min		
EDGE DETAIL	Micro-beveled edges and ends			WARRANTY	50-Year Limited Residential and 15-Year Limited Commercial		
INSTALLATION	Float, Glue Below / On / Above Ground Level			SQ FT PER PALLET	852.40	PALLETS PER TRUCK/CONTAINER	25
CARTONS PER PALLET	40	SQ FT PER CARTON	21.31				

HYDROGUARD SOUND TESTING

IIC 67 6" concrete with ceiling assembly	IIC 53 6" concrete NO ceiling assembly
STC 63 6" concrete with ceiling assembly	STC 50 6" concrete NO ceiling assembly
Delta ΔIIC 23 6" concrete NO ceiling assembly	



*Janka Hardness Industry Standards: Oak 1290, Maple 1395, Hickory 1820. **Maple not included.

ROBBINS®

HydroGuard™

WATERPROOF HARDWOOD

	QUARTER ROUND	T-MOLDING	REDUCER STRIP	THRESHOLD	STAIRNOSE
Heavenly	TQ0WK650L	TM0WK650L	TR4WK650L	TH0WK650L	TS4WK650L
Maple Natural	TQ0MA651L	TM0MA651L	TR4MA651L	TH0MA651L	TS4MA651L
Oak Natural	TQ0WK652LH	TM0WK652LH	TR4WK652LH	TH0WK652LH	TS4WK652LH
Craft Brown	TQ0WK653LW	TM0WK653LW	TR4WK653LW	TH0WK653LW	TS4WK653LW
Sugar Shack	TQ0HC654LW	TM0HC654LW	TR4HC654LW	TH0HC654LW	TS4HC654LW
Shaded Terrace	TQ0WK655LH	TM0WK655LH	TR4WK655LH	TH0WK655LH	TS4WK655LH
Forest Beyond	TQ0HC656LW	TM0HC656LW	TR4HC656LW	TH0HC656LW	TS4HC656LW
Deep Mountain	TQ0HC657LW	TM0HC657LW	TR4HC657LW	TH0HC657LW	TS4HC657LW
Summer Festival	TQ0WK658LW	TM0WK658LW	TR4WK658LW	TH0WK658LW	TS4WK658LW
Twilight	TQ0HC659LW	TM0HC659LW	TR4HC659LW	TH0HC659LW	TS4HC659LW
Iconic Brown	TQ0WK660LH	TM0WK660LH	TR4WK660LH	TH0WK660LH	TS4WK660LH
Craft Brown	TQ0WK661LH	TM0WK661LH	TR4WK661LH	TH0WK661LH	TS4WK661LH



PHOTO: Summer Festival, Oak, EOHG75L16W