

ROBBINS®

English Isle™ Porcelain Stone

Available Colors



PD12401 ▶ Rift



PD12404 ▶ Overlook



PD12407 ▶ Reflection

Available Mosaics



2 x 4 Stacked Mosaics
Mounted on a 296.9 x 296.9 sheet
(available in all colors)



11 x 11 Barrel Mosaics
Mounted on a 268 x 270 sheet
(available in all colors)

English Isle™: Where Innovation Meets Authenticity

Aesthetically versatile, English Isle™ brings a harmonious balance of form and function to both **residential and commercial interiors**. Its soft, **organic texture and neutral color palette** create a serene atmosphere, making it ideal for spa-like bathrooms, sophisticated kitchens, elegant lobbies, and refined hospitality spaces.

Features and Benefits

- English Isle™ blends timeless stone aesthetics with modern performance. Its **soft texture, calming neutrals**, and subtle veining evoke the refined character of Portland stone—an iconic Jurassic limestone from the Isle of Portland, UK.
- With Robbins' innovative **Visual Touch Technology™ glazing**, English Isle™ offers a uniquely tactile surface that bridges beauty and touch.
- Available in **three neutral colors, two field tile sizes** (12x24 and 24x48), and **two finishes**—UPS for interiors and EXT for seamless indoor-outdoor transitions—this collection is designed for versatility. **Coordinating trim** and two mosaics, including a **new barrel mosaic**, complete the offering.
- English Isle™ elevates interiors with **understated elegance and enduring style**—a perfect blend of heritage, innovation, and modern livability.

ROBBINS® English Isle™ Porcelain Stone

Sizes



12 x 24



24 x 48



2 x 4 Stacked
Mosaics
Mounted on a
296.9 x 296.9 sheet



11 x 11 Barrel
Mosaics
Mounted on a
268 x 270 sheet

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Sizes & Finishes

Field Tile - Rectified

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
12 x 24	297 x 597	9.5	3.0	UPS/EXT
24 x 48	597 x 1197	10.5	3.0	UPS

Note: Field tile is rectified with a 3mm grout joint

Mosaics

Available in all colors

Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 4 Stacked*	296.9 x 296.9	9.5	2.5	UPS
Barrel**	268 x 270	9.5	2.5	UPS

* Mounted on 12 x 12 sheet (coverage area 0.98sf) ** Mounted on 11 x 11 sheet (coverage area .82sf)

Coordinating Trim

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	9.5	3.0	UPS
6 x 12 Cove Base	150 x 297	9.5	3.0	UPS



4 x 24 Single
Bullnose



6 x 12 Cove Base

Note: EXT and CBS will not feature VisualTouch technology

Product Performance


Water Absorption	< 0.50	ASTM (C373)
Breaking Strength	> 450 lbf	ASTM (C648)
Bond Strength	> 200 psi	ASTM (C482)
Facial Dimension	± 0.10%	ASTM (C499)
Range of Thickness (in)	0.025	ASTM (C499)
Warpage - Diagonal	± .20%	ASTM (C485)
Wedging		ASTM (C502)
Frost (Freeze/Thaw) Resistance	Resistant	ASTM (C1026)
Chemical Resistance	Unaffected	
Stain Resistance	Unaffected	
Scratch Hardness	7	Mohs Scale
Deep Abrasion	na	ASTM (C1243)
Crazing Resistance	Resistant	ASTM (C424)
Thermal Shock Resistance	Resistant	ASTM (C484)
Visible Abrasion Resistance		ASTM (C1027)

Wet Dynamic Coefficient of Friction Range

UPS	0.42 - 0.52	ANSI A326.3
EXT	0.60 - 0.70	ANSI A326.3

Shade & Texture Index

English Isle™ has a shade variation of V3.



V1 Uniform appearance

V2 Slight Variation

V3 Moderate Variation

V4 Substantial Variation

This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Recommended Use

English Isle™ is recommended for interior floors dry, interior walls, countertops, exterior walls, pool waterlines and full linings† in both residential and commercial applications. English Isle is not recommended for exterior horizontal surfaces or exterior paving. See Robbins.com for detailed installation instructions.

† Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep English Isle tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Robbins products is available at Robbins.com.

Wet area use for Mosaics

Robbins® produces the English Isle 2x4 Stacked Mosaic and Barrel Mosaics with the UPS finish. The ANSI A326.3 wet Dynamic COF of English Isle is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Robbins cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing English Isle to other tile products in wet area environment, such as residential/commercial bathrooms, showers, and interior pool decks.

Our Warranty

Robbins® guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Robbins general product catalog. For complete details check our website at Robbins.com.

Robbins Sample Express

Complimentary Samples are available at Robbins.com

Loose Tile Samples

Sizes may vary depending on product series
Max. of 4 large field tile per order

Standard Shipping

FedEx Ground

Information listed here is subject to change. Please refer to Robbins.com for the latest, most accurate information.



WR-1127-226

©2026 AHF, LLC. All trademarks are owned by AHF, LLC, or its subsidiaries or affiliates.

Trade Organizations



Environmentally Aware

