


ROBBINS®

PRO-TEKT™ RIGID CORE FLOORING

EXCEPTIONAL DESIGNS. COMPLETELY WORRY FREE.



100%
WATERPROOF



SCRATCH &
DENT RESISTANT




KID & PET
FRIENDLY



INSTALLS ON
EVERY LEVEL

FEATURES	BENEFITS
ELEVATED STYLE: Carefully curated collection features a range of designs in variety of sizes 6" x 48", 7" x 60" and 9" x 60" planks and 12" x 24" tiles.	Versatile color palette with enhanced detail to better replicate the authentic character found in natural wood and stone. Larger formats mean fewer seams and less distraction for an elegant, upscale design aesthetic.
CORE: The Pro-Tekt core construction eliminates air pockets, which results in increased product hardness and protection from moisture.	Delivers 100% waterproof protection. ⁽¹⁾ Provides greater impact resistance and dimensional stability for high traffic areas. ⁽²⁾
TEMPERATURE: Performs at high temperatures with no crowning, cupping or wear layer delamination. ⁽³⁾	No acclimation required. Installs on any level, including three season rooms and rooms with direct sunlight.
LOCK STRENGTH: The Pro-Tekt core construction enables precision milling of the lock.	Makes installation easy and fast.




INHIBITS THE
GROWTH OF BACTERIA,
MOLD & MILDEW.

ROBBINS®


PRO-TEKT™ RIGID CORE FLOORING

NEW


RESERVE




Understated Taupe
PRRK001E




Must Have Tan
PRRK002E




Sunrise Lane
PRRK003E




Carefree Greige
PRRK004E




Stylish Living
PRRK005E



Garden Mist
PRRK006E



Windward Taupe
PRRK007E



Timber Lake
PRRK008E



Stonework Tan
PRRK009E



Cavernous Gray
PRRK010E



PHOTO: Carefree Greige, Oak, PRRK004E

ROBBINS®

PRO-TEKT™ RIGID CORE FLOORING

CLASSIC



Naturally Tan
EKPT60L01E



Toffee Melt
EKPT60L02E



Earthen Tone
EKPT60L03E



Sail Away
EKPT60L04E




Dreamy Shade
EKPT60L05E

TRENDING




Barely There
EKPT70L20E



Weathered Warmth
EKPT70L21EN




Sandcastle
EKPT70L22E



Nomadic Tan
EKPT70L23E



Fall Favorite
EKPT70L24EN



Vintner Brown
EKPT70L25E



Wood Crest
EKPT70L26E



Sea and Earth
EKPT70L27E



Peppery Gray
EKPT70L28E

	CLASSIC	TRENDING	RESERVE	
APPEARANCE	Oak	Oak and Rustic Oak	Oak	Stone
STRUCTURE	Vinyl Film + Pro-Tekt™ Core + Pad			
SIZE	5.9" x 48"	7.1" x 60"	9.1" x 60"	12" x 24"
THICKNESS	5 mm = 4 mm + 1 mm pad attached	6 mm = 5 mm + 1 mm pad attached		
WEAR LAYER	12 mil	20 mil	22 mil with antimicrobial coating	
GLOSS	Low			
EDGE DETAIL	Micro-beveled edges and ends	Painted micro-beveled edges and ends		
BOARD TO BOARD VARIATION	More		Most	Least
INSTALLATION	Locking, Below / On / Above Ground Level; Optional Installation: Glue Down Bruce® TuffLink™ Residential Resilient Adhesive			
WARRANTY	35-Year Limited Warranty, Residential Use	Lifetime Limited Warranty, Residential Use and 10-Year Limited Warranty, Light Commercial Use	Lifetime Limited Warranty, Residential Use and 15-Year Limited Warranty, Light Commercial Use	
SQ. FT. PER CARTON	23.64	29.53	19.02	18
CARTONS PER PALLET	60	50	44	48
PALLETS PER CONTAINER/TRUCK	15	11	25	

For more information, visit Robbins.com or contact your AHF Products Sales Representative.